

PTO BULL HOG

FECON[®]



TRACTOR ATTACHMENTS

FECON.COM

800 528 3113

PTO BULL HOG SPECIFICATIONS



RK7316P



RK6015P



RK6013P

Working Width	73"	60"	60"
Overall Width	85"	71"	70"
Weight	2,681 lbs	1,918 lbs	1,475 lbs
Max Horsepower	110 hp	90 hp	70 hp
Number of Tools	32	26	26
Rotor Diameter	16"	15"	13"
Rotor Bearing Size	65 mm	65 mm	65 mm
Gearbox Speed	540 rpm	540 rpm	540 rpm
Hitch	Cat 2	Cat 2	Cat 1, 2, 2N

BUILT FOR LIFE ENGINEERED FOR SUCCESS

Fecon's line of PTO Bull Hogs bring the power and performance of a traditional drum mulcher to the PTO platform. Using Fecon's proven rotor and cutting technology, they deliver high-quality mulching for land clearing and maintenance needs.

The PTO Bull Hogs offer cost-effective solutions for tackling vegetation by allowing landowners to leverage their existing machinery without the need to purchase additional equipment or hire a contractor.

PERFORMANCE

- ✿ Split Ring Rotor system provides powerful, controlled cutting and consistent chip size
- ✿ Cubit Knife Tools efficiently cut through brush and trees to keep rotor speed up and draw less horsepower
- ✿ Working widths of 60" and 73" allow operators to maximize productivity

VERSATILITY

- ✿ Compatible with tractors from 45-110 hp
- ✿ Adjustable features allow operators to tailor their mulcher to match their job site

APPLICATIONS

- ✿ Clear crop perimeters, fence rows, boundary lines, trails, and livestock paths for private land and farm owners
- ✿ Maintain right-of-ways for access to power lines, utilities, and energy resources

FEATURES

- ✿ Hydraulic Trap Door
- ✿ Replaceable, adjustable, and reversible shear bars
- ✿ Multi-position push bar with serrated ears
- ✿ Reinforced PTO shaft
- ✿ Adjustable bolt-on skid shoes



MAKE IT HAPPEN

FECON®

PTO BULL HOG

fecon.com
800 528 3113

sales@fecon.com
+1 513 696 4430

Whether you are buying, renting, or servicing your mulching equipment, FECON has solutions that focus on your success. Operator driven design with a global network that is woven into every product.



- Certain guarding and features may have been removed for illustrative purposes.
- ALWAYS RUN WITH PROPER GUARDING IN PLACE.
- Weights may vary based on options.
- Specifications subject to change without notice.
- Photographs may have been altered for marketing purposes.
- SAFETY IS THE RESPONSIBILITY OF THE OPERATOR.
- Always ensure your carrier's safety features, including ROPs & FOPs, meet your job safety requirements.
- Pictures may contain optional accessories.